



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

Date Mailed : *November 3, 2004*

Patent No. : 6,743,364  
Inventor(s) : Van Der Greef et al.  
Issued : June 1, 2004  
Title : METHOD AND SYSTEM FOR IDENTIFYING AND QUANTIFYING  
: CHEMICAL COMPONENTS OF A MIXTURE  
Doc./File No. : BYG-002

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction and a corrected patent under the provisions of Rule 1.323.

Respecting the alleged error the addition or deletion of inventor(s), the inventors' names are printed in accordance with the Declaration and/or Supplemental Declaration. Therefore, no correction is in order here under Rules 1.322 or 1.323.

In view of the foregoing, your request is hereby denied.

However, your attention is directed to C.F.R. 1.324, wherein a request is being made to add or delete inventor(s), after issuance of the patent.

A certificate of correction will issue to correct the remaining error noted in applicants request. Any telephone inquiry concerning this communication should be directed to Ms. A. Green at (703) 305-8740.

Cecelia Newman / *Ms. A. Green*  
Decisions & Certificates  
of Correction Branch  
(703) 305-8228 or (703) 305-*8740*

Patent Administrator  
Testa Hurwitz & Thibault, LLP  
High Street Tower  
125 High Street  
Boston, MA 02110

CBN/arg